





Puritan[®]

Quality since 1919





Puritan[®]

CONTROLLED ENVIRONMENTS + INDUSTRIAL

Puritan's single-use products for industrial, controlled and critical environments are manufactured in our ISO 13485 certified facility, providing reliable, consistent performance to ensure the quality of your end product.

Our swabs are designed for use in specific environments such as precision manufacturing, fiber optics, electronics, semiconductors, and biotechnology. For even tighter control, we offer critical environment swabs for the cleanroom.

Our line includes foam, cotton, knitted polyester, ESD (electrostatic discharge), anti-static, and chemical-resistant swabs.

Polyester and microfiber tips, soft but strong

Each swab is made to help meet your QC goals in a specific, controlled environment.

Puritan's polyester and microfiber swabs are easy on delicate components yet strong enough to stand up to industrial use. Manufactured in Puritan's cleanroom, these swabs are protected from contamination. Personnel wear smocks, gloves, hair covers and masks.

SMALL TIP
Ideal for fine assembly tasks.

FLEXIBLE HANDLE
Makes it easy to reach areas that need to be swabbed. Polypropylene shaft is also resistant to breakdown from chemical content.

THERMAL BONDING
Eliminates the need for adhesives that could transfer to the surface being cleaned.

LOW IN NVR
Knitted polyester is ideal for removing residues and particulates.

FEATURED PRODUCTS:

Left: PurSwab® knitted polyester-tipped applicator (#3135)

Middle: PurSwab® knitted polyester-tipped applicator (#3655)











Right: PurSwab® microfiber-tipped applicator (#3677)

Did you know?

Microfibers are half the diameter of fine silk fiber, one-quarter the diameter of fine wool, and **100 times finer than human hair**.



PURSWAB® KNITTED POLYESTER-TIPPED APPLICATORS

Made with double-ply polyester fabric bonded to polypropylene handles, these applicators work hard for you. They are non-abrasive and free from volatile residues, particulates, and lint. In addition, the polyester can easily stand up to IPA, acetone and other solvents. These tips are offered in a range of sizes from small and cylindrical to broad and flat. The handles of the swabs in this line are designed with aggressive scrubbing in mind.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|----------|---|-------------------------------|-------------------|-------------------------------------|
|  | 3135 | Small rigid tip, polypropylene handle | 12 x 4.5 mm 0.47 x 0.18" | 68.5 mm 2.7" | 10/100 (1,000/cs), 1 lb |
|  | 3140 | Thin flexible tip, polypropylene handle | 19 x 7.3 mm 0.75 x 0.29" | 162 mm 6.38" | 10/100 (1,000/cs), 4 lb |
|  | 3600 | Large paddle tip, polypropylene handle | 28.6 x 9.9 mm 1.13 x 0.39" | 157.1 mm 6.19" | 20/50 (1,000/cs), 3 lb |
|  | 3605 | Symmetrical round tip, polypropylene handle | 19.8 x 5.2 mm 0.78 x 0.2" | 152.4 mm 6" | 10/100 (1,000/cs), 3 lb |
|  | 3610 | Symmetrical round tip, polypropylene handle | 19.8 x 5.2 mm 0.78 x 0.2" | 77.1 mm 3.062" | 10/100 (1,000/cs), 2 lb |
|  | 3615 | Half-round tip, acetal handle | 14.6 x 3.2 mm 0.58 x 0.13" | 68.3 mm 2.69" | 10/100 (1,000/cs), 2 lb |
|  | 3620 | Symmetrical round tip, polypropylene handle | 10.3 x 2.2 mm 0.41 x 0.09" | 71.8 mm 2.83" | 10/100 (1,000/cs), 2 lb |
|  | 3625 | Symmetrical round tip, acetal handle | 10.3 x 3.2 mm 0.41 x 0.13" | 71.8 mm 2.83" | 10/100 (1,000/cs), 2 lb |
|  | 3655 | Large flat paddle tip, polypropylene handle | 25.9 x 14 mm 1.02 x 0.55" | 127.8 mm 5.03" | 10/100 (1,000/cs), 5 lb |
|  | 3676 | Flexible paddle tip, polypropylene handle | 16.8 x 6.8 mm 0.66 x 0.27" | 154.8 mm 6.1" | 20/50 (1,000/cs), 2 lb |

PURSWAB® MICROFIBER-TIPPED APPLICATORS

Microfiber tips are soft and non-abrasive, with very low particulates. These absorbent swabs are resistant to normal cleaning solvents, which makes them ideal for removing contaminants and excess materials in fine assembly environments.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|----------|---|-------------------------------|------------------|-------------------------------------|
|  | 3130 | Small flexible paddle tip, polypropylene handle | 10 x 3.4 mm 0.39 x 0.14" | 69mm 2.72" | 10/100 (1,000/cs), 1 lb |
|  | 3677 | Flexible paddle tip, polypropylene handle | 16.8 x 6.8 mm 0.66 x 0.27" | 154.8 mm 6.1" | 10/100 (1,000/cs), 2 lb |

PurSwab[®] foam swabs

They are soft, non-abrasive, and residue-free.

Choose from configurations that offer rigid or flexible handles – with foam tips designed for a range of standard and specialty purposes.



#1605-PSF RECT

REGULAR FOAM

For general cleaning, suitable for applying solutions and solvents.



#1621-PF ESD

ESD FOAM

Small point for precision cleaning. ESD plastic handle.



#1806-PCFL

FOAM OVER COTTON

Cotton core for increased absorbency, foam mitt for lint-sensitive applications.



#1806-WCF AS

ANTI-STATIC FOAM

Abrasive for cleaning surfaces.



#1803-WFB CR POINTED

CHEMICAL RESISTANT

Tip will not swell or break apart with most solvents.

FEATURED PRODUCTS:








A selection of products from our PurSwab[®] line

PURSWAB® FOAM-TIPPED APPLICATORS

Our industrial line of PurSwab foam-tipped applicators is ideal for critical environments. Our standard tips are made with medical grade 100% polyurethane foam with 100 PPI (pores per inch). You can also choose foam-over cotton tips for added absorbency. Our precision foam-tipped applicators are typically used with DI water and isopropyl alcohol. Thermal edge seals and thermal bonding to the handle help ensure the sponge-like foam will clean up unwanted particles without releasing any into your critical environment.







| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|----------------|---|--------------------------------|-------------------|-------------------------------------|
|  | 1105 | Thick paddle tip, polypropylene handle | 24 x 8 mm 0.95 x 0.32" | 110 mm 4.33" | 10/100 (1,000/cs), 4 lb |
|  | 1130 | Pointed tip, polypropylene handle | 11.5 x 3.5 mm 0.45 x 0.14" | 69.5 mm 2.74" | 10/100 (1,000/cs), 2 lb |
|  | 1135 | Thin flexible paddle tip, polypropylene handle | 14.2 x 4 mm 0.56 x 0.16" | 69.1 mm 2.72" | 10/100 (1,000/cs), 2 lb |
|  | 1273 BK | Soft flexible paddle tip, polypropylene handle | 15.2 x 4 mm 0.6 x 0.16" | 68.6 mm 2.7" | 2/500 (1,000/cs), 1 lb |
|  | 1275-PFB | Micro tip, glass-filled polypropylene handle | 14.2 x 1.4 mm 0.56 x 0.06" | 160.8 mm 6.33" | 2/500 (1,000/cs), 2 lb |
|  | 1276 BK | Soft flexible paddle tip, polypropylene handle | 18.5 x 6.4 mm 0.73 x 0.25" | 155.5 mm 6.12" | 2/500 (1,000/cs), 4 lb |
|  | 1276-PF | Micro tip, blue glass-filled polypropylene handle | 14.6 x 1.8 mm 0.57 x 0.07" | 161 mm 6.34" | 20/50 (1,000/cs), 3 lb |
|  | 1506-PFB | Standard tip, polystyrene handle | 16 x 4.8 mm 0.63 x 0.19" | 151.9 mm 5.98" | 4/250 (1,000/cs) 2 lb |
|  | 1605-PSF RECT | Rectangular tip, polypropylene handle | 25.4 x 13.5 mm 1 x 0.53" | 130.2 mm 5.13" | 20/50 (1,000/cs), 5 lb |
| | 1605-PSFB RECT | | | | 1,000 (1,000/cs), 5 lb (bulk) |
|  | 1616-PF | Standard tip, polypropylene handle | 22.2 x 6.4 mm 0.88 x 0.25" | 150.8 mm 5.94" | 20/50 (1,000/cs), 3 lb |
|  | 1623-PF | Pointed tip, glass-filled polypropylene handle | 17.5 x 4 mm 0.69 x 0.16" | 82.8 mm 3.26" | 20/50 (1,000/cs), 1 lb |
|  | 1802-PF SOLID | Standard tip, polypropylene handle | 15.1 x 4.8 mm 0.59 x 0.19" | 60.3 mm 2.38" | 20/50 (1,000/cs), 2 lb |
|  | 1803-PF | Mini tip, polypropylene handle | 15.9 x 4 mm 0.63 x 0.16" | 71.5 mm 2.81" | 20/50 (1,000/cs), 2 lb |
| | 1803-PFB | | | | 2/500 (1,000/cs), 1 lb (bulk) |
|  | 1803-WF | Standard tip, wood handle | 11.9 x 4 mm 0.47 x 0.16" | 75.4 mm 2.97" | 20/50 (1,000/cs), 1 lb |
|  | 1804-PF | Standard tip, polypropylene handle | 15.9 x 4 mm 0.63 x 0.16" | 101.6 mm 4" | 20/50 (1,000/cs), 1 lb |
|  | 1805-PF RECT | Large rectangular tip, polypropylene handle | 22.6 x 17.5 mm 0.89 x 0.69" | 131.4 mm 5.17" | 20/50 (1,000/cs), 6 lb |
| | 1805-PFB RECT | | | | 4/250 (1,000/cs), 6 lb (bulk) |

PURSWAB® FOAM-TIPPED APPLICATORS, CONTINUED

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|--|---------------|---|--------------------------------|-------------------|-------------------------------------|
|  | 1805-PF RND | Large round tip, polypropylene handle | 28.6 x 23 mm 1.13 x 0.91" | 130.2 mm 5.13" | 20/50 (1,000/cs), 6 lb |
|  | 1806-PF | Rectangular tip, polypropylene handle | 15.9 x 4.8 mm 0.63 x 0.19" | 152.4 mm 6" | 20/50 (1,000/cs), 2 lb |
| | 1806-PFB | | | | 4/250 (1,000/cs), 6 lb |
|  | 1806-PF ARROW | Arrow-shaped tip, polypropylene handle | 22.2 x 8.7 mm 0.88 x 0.34" | 154 mm 6.06" | 20/50 (1,000/cs), 2 lb |
|  | 1806-PFL | Large tip, polypropylene handle | 25.4 x 9.5 mm 1 x 0.38" | 152.4 mm 6" | 20/50 (1,000/cs), 2 lb |
|  | 1806-WF | Elongated tip, wood handle | 17.5 x 4.8 mm 0.69 x 0.19" | 149.2 mm 5.88" | 20/50 (1,000/cs), 2 lb |
|  | 1876-PF | Flexible paddle tip, polypropylene handle | 15.1 x 4.8 mm 0.59 x 0.19" | 154 mm 6.06" | 20/50 (1,000/cs), 3 lb |
|  | 1905-PF RECT | Regular foam tip, polypropylene handle | 22.6 x 17.4 mm 0.89 x 0.69" | 131.4 mm 5.17" | 20/50 (1,000/cs), 6 lb |





PURSWAB® FOAM OVER COTTON-TIPPED APPLICATORS

These foam over-cotton tips are made from shred-resistant urethane foam over USP pharmaceutical-grade cotton for the best absorption and are great when used with cleaning solvents. Cotton tips are bonded with a special adhesive for durable wear. It's like using 2 swabs in 1!

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|------------|--|-------------------------------|-------------------|-------------------------------------|
|  | 1806-PCF | Foam-over-cotton tip, polypropylene handle | 23.8 x 9.5 mm 0.94 x 0.38" | 155.6 mm 6.13" | 20/50 (1,000/cs), 2 lb |
|  | 1806-PCFL | Large foam-over-cotton tip, polypropylene handle | 25.4 x 9.5 mm 1 x 0.38" | 155.6 mm 6.13" | 20/50 (1,000/cs), 2 lb |
|  | 1806-PCSF | Small foam-over-cotton tip, polypropylene handle | 20.6 x 6.4 mm 0.81 x 0.25" | 154.8 mm 6.09" | 20/50 (1,000/cs), 2 lb |
|  | 1806-WCF | Standard foam-over-cotton tip, wood handle | 23.8 x 9.5 mm 0.94 x 0.38" | 154 mm 6.06" | 20/50 (1,000/cs), 2 lb |
| | 1806-WCFB | | | | 4/250 (1,000/cs), 2 lb |
|  | 1806-WCFL | Large foam-over-cotton tip, wood handle | 25.4 x 9.5 mm 1 x 0.38" | 152.9 mm 6.02" | 20/50 (1,000/cs), 2 lb |
| | 1806-WCFLB | | | | 4/250 (1,000/cs), 3 lb |
|  | 1806-WCSF | Small foam-over-cotton tip, wood handle | 20.6 x 6.4 mm 0.81 x 0.25" | 152.4 mm 6" | 20/50 (1,000/cs), 2 lb |





PURSWAB® ESD APPLICATORS

These electro-static-dissipative applicators are designed for working in and around static-sensitive components and parts. A range of shapes, sizes, and materials let you find a swab made specialty for each of your applications.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|-------------|--|-------------------------------|------------------|-------------------------------------|
|  | 1273-PF ESD | Paddle anti-static foam tip, static-dissipative polypropylene handle | 14.2 x 4 mm 0.56 x 0.16" | 68.6 mm 2.7" | 20/50 (1,000/cs), 2 lb |
|  | 1283-PF ESD | Precision pointed foam tip, static-dissipative polypropylene handle | 20 x 3.5 mm 0.79 x 0.14" | 69.2 mm 2.73" | 20/50 (1,000/cs), 1 lb |
|  | 1621-PF ESD | Precision pointed foam tip, static-dissipative polypropylene handle | 10.9 x 3.6 mm 0.43 x 0.14" | 82.8 mm 3.26" | 20/50 (1,000/cs), 2 lb |
|  | 3605 ESD | Microfiber tip, static-dissipative polypropylene handle | 16.1 x 6 mm 0.64 x 0.24" | 152.4 mm 6" | 10/100 (1,000/cs), 3 lb |






PURSWAB® ANTI-STATIC APPLICATORS

When minimizing electrostatic buildup is the goal, choose one of our anti-static tipped applicators. These specialty swabs attract dirt and dust for easy cleaning, while reducing and dissipating static electricity.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|-----------------|---|-------------------------------|-------------------|-------------------------------------|
|  | 1805-PF RECT AS | Large rectangular anti-static foam tip, conductive polypropylene handle | 25.4 x 17mm 1 x 0.69" | 130.2 mm 5.13" | 20/50 (1,000/cs), 6 lb |
|  | 1806-PF AS | Standard anti-static foam tip, conductive polypropylene handle | 15.9 x 4 mm 0.63 x 0.16" | 150.8 mm 5.94" | 20/50 (1,000/cs), 3 lb |
|  | 1806-WCF AS | Large anti-static foam-over-cotton tip, wood handle | 20.6 x 9.5 mm 0.81 x 0.38" | 154 mm 6.06" | 20/50 (1,000/cs), 2 lb |
|  | 1806-WF AS | Standard anti-static foam tip, wood handle | 15.9 x 4 mm 0.63 x 0.16" | 149.2 mm 5.88" | 20/50 (1,000/cs), 2 lb |

PURSWAB® SPECIALTY + CHEMICAL RESISTANT FOAM-TIPPED APPLICATORS

This line of specialty swabs includes super-absorbent and chemical resistant foam-tipped applicators. Chemical-resistant foam is made of a different polymer and will stand up to solvents and cleaners without tearing or breaking down.







| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|---------------------|--|-------------------------------|-------------------|-------------------------------------|
|  | 1803-WFB CR POINTED | Mini chemical resistant foam tip, pointed wood handle | 11.9 x 4 mm 0.47 x 0.16" | 75.4 mm 2.97" | 2/500 (1,000/cs), 1 lb |
|  | 1806-PCF CR | Standard chemical resistant foam-over-cotton tip, polypropylene handle | 23.8 x 9.5 mm 0.94 x 0.38" | 155.6 mm 6.13" | 20/50 (1,000/cs), 2 lb |
|  | 1806-WCF CR | Standard chemical resistant foam-over-cotton tip, wood handle | 20.6 x 9.5 mm 0.81 x 0.38" | 154 mm 6.06" | 20/50 (1,000/cs), 2 lb |
|  | 1806-WF CR | Standard chemical resistant foam tip, wood handle | 17.5 x 4.8 mm 0.69 x 0.19" | 149.2 mm 5.88" | 20/50 (1,000/cs), 2 lb |
|  | 1876-PF CR | Flexible chemical resistant paddle foam tip, polypropylene handle | 15.1 x 4.8 mm 0.6 x 0.19" | 154 mm 6.06" | 20/50 (1,000/cs), 3 lb |

PURITAN COTTON-TIPPED APPLICATORS

Ideal for general purposes when you are less concerned about static or particulate release.










| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|--------------------|--|-------------------------------|-------------------|-------------------------------------|
|  | 803-PC | Standard tip, polystyrene handle | 17.5 x 5.2 mm 0.69 x 0.2" | 77.8 mm 3.06" | 10/10/100 (10,000/cs), 9 lb |
|  | 803-WC | Standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 77 mm 3.03" | 10/10/100 (10,000/cs), 10 lb |
|  | 803-WC HOSPITAL | Hospital® Brand, standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 77 mm 3.03" | 10/10/100 (10,000/cs), 8 lb |
|  | 803-WCL | Large tip, wood handle | 17.5 x 5.9 mm 0.69 x 0.23" | 77 mm 3.03" | 10/5/100 (5,000/cs), 7 lb |
|  | 804-PC UNBRK | Standard tip, unbreakable polystyrene handle | 17.4 x 5.2 mm 0.69 x 0.2" | 101.6 mm 4" | 10/10/100 (10,000/cs) 8 lb |
|  | 806-PC | Standard tip, polystyrene handle | 17.5 x 5.2 mm 0.69 x 0.2" | 152.4 mm 6" | 10/10/100 (10,000/cs), 17 lb |
|  | 806-PCL | Large tip, polystyrene handle | 17.5 x 6.4 mm 0.69 x 0.25" | 152.4 mm 6" | 10/5/100 (5,000/cs), 10 lb |
|  | 806-WC | Standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 16 lb |
|  | 806-WC HOSPITAL | Hospital® Brand, standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 14 lb |
|  | 806-WCL | Large tip, wood handle | 17.5 x 5.9 mm 0.69 x 0.23" | 150.8 mm 5.94" | 10/5/100 (5,000/cs), 10 lb |
|  | 806-WCXL | Extra-large tip, wood handle | 17.4 x 7.9 mm 0.69 x 0.3" | 150.8 mm 5.94" | 10/10/50 (5,000/cs), 12 lb |
|  | 821-WC | Tapered tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 149.2 mm 5.88" | 10/5/100 (5,000/cs), 8 lb |
|  | 821-WC DBL | Double-tipped (one standard, one tapered), wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 152.4 mm 6" | 10/5/100 (5,000/cs), 9 lb |
|  | 826-WC | Tapered mini tip, wood handle | 12.7 x 3.4 mm 0.5 x 0.14" | 149.2 mm 5.88" | 10/10/100 (10,000/cs), 12 lb |
|  | 833-WCS | Small tip, wood handle, vial pack | 15.9 x 4 mm 0.63 x 0.16" | 77 mm 3.03" | 50/100 (5,000/cs), 8 lb |
|  | 838-WCS | Small tip, wood handle | 15.9 x 4 mm 0.63 x 0.16" | 77 mm 3.03" | 10/10/100 (10,000/cs), 8 lb |
|  | 839-PPCS | Small tip, polypropylene handle | 12.7 x 3.2 mm 0.5 x 0.13" | 76.2 mm 3" | 10/10/100 (10,000/cs), 8 lb |
|  | 850-WC POLY | Standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 14 lb |
| | 850-WCB POLY | | | | 100/100 (10,000/cs) 12 lb |
|  | 860-PPC | Small tip, polypropylene handle | 17.5 x 5.2 mm 0.69 x 0.2" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 15 lb |
|  | 860-WC | Standard tip, lint-sensitive, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 16 lb |

COTTON-TIPPED APPLICATORS, CONTINUED

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|------------|--|-------------------------------|-------------------|-------------------------------------|
|  | 861-WC DBL | Double standard tip, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 154 mm 6.06" | 10/5/100 (5,000/cs), 10 lb |
|  | 868-PCS | Small tip, polystyrene handle | 17.5 x 4.4 mm 0.69 x 0.17" | 152.4 mm 6" | 10/10/100 (10,000/cs), 16 lb |
|  | 868-WCS | Small tip, wood handle | 11.1 x 3.6 mm 0.44 x 0.14" | 149.2 mm 5.88" | 10/10/100 (10,000/cs), 12 lb |
|  | 869-WCS | Mini tip, wood handle | 12.7 x 3.2 mm 0.5 x 0.13" | 149.2 mm 5.88" | 10/10/100 (10,000/cs), 13 lb |
|  | 876-PPC | Standard tip, lint sensitive, polypropylene handle | 17.5 x 5.2 mm 0.69 x 0.2" | 152.4 mm 6" | 10/10/100 (10,000/cs), 15 lb |
|  | 876-WC | Standard tip, lint-sensitive, wood handle | 15.9 x 4.8 mm 0.63 x 0.19" | 150.8 mm 5.94" | 10/10/100 (10,000/cs), 15 lb |

PURSWAB® LINT-SENSITIVE COTTON-TIPPED APPLICATORS

These are our smoothest cotton-tipped applicators, with low particulates for precision cleaning applications. Always made with our highest grade cotton, the tips are formed to minimize loose fibers while offering absorbency and compatibility with most chemicals.


| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack (case total), weight |
|---|------------|--|------------------------------|------------------|-------------------------------------|
|  | 870-PC DBL | Double sharp pointed tip, fine paper handle | 8 x 2.2 mm 0.32 x 0.087" | 76.2 mm 3" | 100/25 (2,500/cs), 2 lb |
|  | 871-PC DBL | Double pointed tip, fine paper handle | 11 x 3 mm 0.43 x 0.12" | 79 mm 3.11" | 100/25 (2,500/cs), 2 lb |
|  | 872-PC DBL | Double cone-shaped tip, fine paper handle | 11 x 4.7 mm 0.43 x 0.19" | 81 mm 3.19" | 50/25 (1,250/cs), 2 lb |
|  | 890-PC DBL | Double mini tip, fine paper handle | 8 x 2 mm 0.32 x 0.08" | 75.5 mm 2.97" | 100/25 (2,500/cs), 2 lb |
|  | 891-PC DBL | Double small tip, fine paper handle, anti-static packaging | 13.5 x 2.6 mm 0.53 x 0.1" | 75.5 mm 2.97" | 100/25 (2,500/cs), 2 lb |
|  | 892-PC DBL | Double small tip, fine paper handle, anti-static packaging | 14 x 3.2 mm 0.55 x 0.13" | 75.5 mm 2.97" | 100/25 (2,500/cs), 2 lb |
|  | 893-PC DBL | Double tip, paper handle, anti-static packaging | 15 x 4.4 mm 0.59 x 0.17" | 77.5 mm 3.05" | 2/50/25 (2,500/cs), 4 lb |
|  | 896-PC | Small cylindrical tip, paper handle, anti-static packaging | 12 x 4 mm 0.47 x 0.16" | 146 mm 5.75" | 20/50 (1,000/cs), 3 lb |
|  | 896-WC | Standard tip, wood handle | 15 x 4.7 mm 0.59 x 0.19" | 150 mm 5.91" | 10/100 (1,000/cs), 2 lb |

WOODEN ORANGE STICKS

Made of North American hardwood, these were and often still are called orange wood sticks, as they were originally made of orange wood. Ideal as an all-purpose stick.

FEATURED PRODUCT: *Double bevel, both ends* (#2910)



| | Item No. | Product Description | Size length x diameter | Packaging pack (case total), weight |
|---|----------|-------------------------|---------------------------|-------------------------------------|
|  | 2910 | Double bevel, both ends | 177.8 x 4 mm 7 x 0.16" | 10/100 (1,000/cs), 5 lb |

Did you know?

Only 25% of the wood processed becomes finished goods. That means only the “finest” part of the tree becomes tongue depressors, applicator sticks and other wood products. The rest becomes environmentally correct fuel for our operation and a marketable by-product that serves other industries as fuel and end users as stove pellets.

INDUSTRIAL WOODEN STIRRERS

These are excellent lower-price alternatives to our medical-quality wood products. Ideal in manufacturing environments as they are consistently made to our tough standards.

| | Item No. | Product Description | Full Length | Packaging pack (case total), weight |
|--|---------------------|--|------------------|-------------------------------------|
|  | 704 BRIGHTWOOD | Flat blade, economy-grade, Brightwood® brand | 152.4 mm 6" | 10/500 (5,000/cs), 36 lb |
|  | 705 THICK SQ END | Thick flat blade, one end straight cut | 139.7 mm 5.5" | 2,000 (2,000/cs), 23 lb (bulk) |

Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.



Puritan Medical Products Co.
31 School Street
P.O. Box 149
Guilford, Maine 04443-0149 USA

800.321.2313 (US + Canada)
207.876.3311
puritanmedproducts.com
sales@puritanmedproducts.com