






Puritan®

Quality since 1919





Puritan®

CONTROLLED ENVIRONMENTS + INDUSTRIAL

Puritan's single-use products for industrial, controlled, and critical environments are manufactured in our ISO 13485-certified facilities, ensuring reliable, consistent performance in cleaning and maintaining the integrity of sensitive spaces.

Designed for demanding applications such as electronics, semiconductor manufacturing, biotechnology, and other controlled or cleanroom environments, our specialized product line includes foam, cotton, foam-over-cotton, knitted polyester, microfiber, ESD (electrostatic discharge), anti-static, and chemical-resistant swabs, as well as industrial woodenware.

Engineered for even the most exacting tasks, our swabs deliver effective results – without leaving a trace.

Knitted polyester and microfiber tips, soft but strong

Each swab is made to help meet your QC goals in a specific, controlled environment.

Puritan's knitted polyester and microfiber swabs are easy on delicate components yet strong enough to stand up to industrial use.

SMALL TIP
Ideal for fine assembly tasks.

FLEXIBLE HANDLE
Makes it easy to reach areas that need to be swabbed. Polypropylene shaft is also resistant to breakdown from chemical content.

THERMAL BONDING

Eliminates the need for adhesives that could transfer to the surface being cleaned.

LOW IN NVR

Knitted polyester is ideal for removing residues and particulates.

FEATURED PRODUCTS:


Left: PurSwab® knitted polyester-tipped applicator (#3135)

Middle: PurSwab® knitted polyester-tipped applicator (#3655)

Right: PurSwab® microfiber-tipped applicator (#3677)

PURSWAB® KNITTED POLYESTER-TIPPED APPLICATORS

Made with double-ply polyester fabric bonded to polypropylene or acetal handles, these applicators work hard for you. They are non-abrasive and free from volatile residues, particulates, and lint. In addition, the polyester can easily stand up to IPA, acetone, and other solvents. These tips are offered in a range of sizes from small and cylindrical to broad and flat. The handles of the swabs in this line are designed with aggressive scrubbing in mind.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	3105	Folded tip, black polypropylene handle	30.98 x 5.51 mm 1.22 x 0.22"	161.04 mm 6.34"	10/100 (1,000/cs), 4 lb
	3125	Symmetrical round, small tip, acetal handle	10 x 3.43 mm 0.39 x 0.13"	69 mm 2.7"	10/100 (1,000/cs), 2 lb
	3135	Small rigid tip, polypropylene handle	12 x 4.5 mm 0.47 x 0.18"	68.5 mm 2.7"	10/100 (1,000/cs), 1 lb
	3140	Thin flexible tip, polypropylene handle	19 x 7.3 mm 0.75 x 0.29"	162 mm 6.38"	10/100 (1,000/cs), 4 lb
	3600	Large paddle tip, polypropylene handle	28.6 x 9.9 mm 1.13 x 0.39"	157.1 mm 6.19"	20/50 (1,000/cs), 3 lb
	3605	Symmetrical round tip, polypropylene handle	19.8 x 5.2 mm 0.78 x 0.2"	152.4 mm 6"	10/100 (1,000/cs), 3 lb
	3615	Half-round tip, acetal handle	14.6 x 3.2 mm 0.58 x 0.13"	68.3 mm 2.69"	10/100 (1,000/cs), 2 lb
	3620	Symmetrical round tip, polypropylene handle	10.3 x 2.2 mm 0.41 x 0.09"	71.8 mm 2.83"	10/100 (1,000/cs), 2 lb
	3623	Symmetrical round tip, glass-filled, pointed polypropylene handle	15.875 x 3.175 mm 0.625 x 0.13"	82.8 mm 3.26"	20/50 (1,000/cs), 2 lb
	3625	Symmetrical small round tip, acetal handle	10.3 x 3.2 mm 0.41 x 0.13"	71.8 mm 2.83"	10/100 (1,000/cs), 2 lb
	3655	Large flat paddle tip, polypropylene handle	25.9 x 14 mm 1.02 x 0.55"	127.8 mm 5.03"	10/100 (1,000/cs), 5 lb
	3676	Flexible paddle tip, polypropylene handle	16.8 x 6.8 mm 0.66 x 0.27"	154.8 mm 6.1"	20/50 (1,000/cs), 2 lb

PURSWAB® MICROFIBER-TIPPED APPLICATORS

Microfiber tips are soft and non-abrasive, with very low particulates. These absorbent swabs are resistant to normal cleaning solvents, which makes them ideal for removing contaminants and excess materials in fine assembly environments.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	3130	Small flexible paddle tip, polypropylene handle	10 x 3.4 mm 0.39 x 0.14"	69mm 2.72"	10/100 (1,000/cs), 1 lb
	3677	Flexible paddle tip, polypropylene handle	16.8 x 6.8 mm 0.66 x 0.27"	154.8 mm 6.1"	10/100 (1,000/cs), 2 lb

PurSwab® foam swabs

They are soft, non-abrasive,
and residue-free.

Choose from configurations that offer
rigid or flexible handles – with foam
tips designed for a range of standard
and specialty purposes.



#1605-PSF RECT

REGULAR FOAM

For general
cleaning,
suitable for
applying
solutions and
solvents.



#1621-PF ESD

ESD FOAM

Small point
for precision
cleaning.
ESD plastic
handle.



#1806-PCFL

FOAM OVER COTTON

Cotton core for
increased
absorbency,
foam mitt for
lint-sensitive
applications.



#1806-WCF AS

ANTI-STATIC FOAM

Ideal for
cleaning
surfaces.



1876-PF CR

CHEMICAL RESISTANT

Tip will not
swell or break
apart with
most solvents.

FEATURED PRODUCTS:

*A selection of products from
our PurSwab® line*

PURSWAB® FOAM-TIPPED APPLICATORS

Our industrial line of PurSwab foam-tipped applicators is ideal for critical and controlled environments. Our standard tips are made with medical-grade 100% polyurethane foam with 100 PPI (pores per inch). You can also choose foam-over cotton tips for added absorbency. Our precision foam-tipped applicators are typically used with DI water and isopropyl alcohol. Thermal edge seals and thermal bonding to the handle help ensure the sponge-like foam will clean up unwanted particles without releasing any into your critical environment.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1105	Thick paddle tip, polypropylene handle	24 x 8 mm 0.95 x 0.32"	110 mm 4.33"	10/100 (1,000/cs), 4 lb
	1130	Pointed tip, polypropylene handle	11.5 x 3.5 mm 0.45 x 0.14"	69.5 mm 2.74"	10/100 (1,000/cs), 2 lb
	1135	Thin flexible paddle tip, polypropylene handle	14.2 x 4 mm 0.56 x 0.16"	69.1 mm 2.72"	10/100 (1,000/cs), 2 lb
	1273 BK	Soft flexible paddle tip, polypropylene handle	15.2 x 4 mm 0.6 x 0.16"	68.6 mm 2.7"	2/500 (1,000/cs), 1 lb
	1273-PFB BL	Flexible blue mini-tip, black polypropylene handle	15.2 x 4 mm 0.6 x 0.16"	68.6 mm 2.7"	2/500 (1,000/cs), 1 lb
	1275-PFB	Micro tip, glass-filled polypropylene handle	14.2 x 1.4 mm 0.56 x 0.06"	160.8 mm 6.33"	2/500 (1,000/cs), 2 lb
	1276 BK	Soft flexible paddle tip, polypropylene handle	18.5 x 6.4 mm 0.73 x 0.25"	155.5 mm 6.12"	2/500 (1,000/cs), 4 lb
	1276-PFB BL	Micro tip, blue glass-filled polypropylene handle	14.6 x 1.8 mm 0.57 x 0.07"	161 mm 6.34"	2/500 (1,000/cs), 3 lb
	1276 WH	Spatula shaped tip, white polypropylene handle	18.5 x 6.4 mm 0.73 x 0.25"	155.5 mm 6.12"	2/500 (1,000/cs), 4 lb
	1503-PFB SOLID WH	Standard tip, solid white polystyrene handle	16 x 4.7 mm 0.63 x 0.19"	76.2 mm 3"	4/250 (1,000/cs), 3 lb (bulk)
	1506-PFB	Standard tip, polystyrene handle	16 x 4.8 mm 0.63 x 0.19"	151.9 mm 5.98"	4/250 (1,000/cs), 2 lb
	1506-PFB SOLID	Standard tip, polystyrene handle	16 x 4.7 mm 0.63 x 0.19"	152.4 mm 6"	4/250 (1,000/cs), 2 lb
	1605-PSF RECT	Rectangular tip, polypropylene handle	25.4 x 13.5 mm 1 x 0.53"	130.2 mm 5.13"	20/50 (1,000/cs), 5 lb
	1605-PSFB RECT				1,000 (1,000/cs), 5 lb (bulk)
	1616-PF	Standard tip, polypropylene handle	22.2 x 6.4 mm 0.88 x 0.25"	150.8 mm 5.94"	20/50 (1,000/cs), 3 lb
	1623-PF	Pointed tip, glass-filled polypropylene handle	17.5 x 4 mm 0.69 x 0.16"	82.8 mm 3.26"	20/50 (1,000/cs), 1 lb
	1802-PF SOLID	Standard tip, polypropylene handle	15.1 x 4.8 mm 0.59 x 0.19"	60.3 mm 2.38"	20/50 (1,000/cs), 2 lb
	1803-PF	Mini tip, polypropylene handle	15.9 x 4 mm 0.63 x 0.16"	71.5 mm 2.81"	20/50 (1,000/cs), 2 lb
	1803-PFB				2/500 (1,000/cs), 1 lb (bulk)
	1803-WF	Standard tip, wood handle	11.9 x 4 mm 0.47 x 0.16"	75.4 mm 2.97"	20/50 (1,000/cs), 1 lb
	1804-PF	Standard tip, polypropylene handle	15.9 x 4 mm 0.63 x 0.16"	101.6 mm 4"	20/50 (1,000/cs), 1 lb

PURSWAB® FOAM-TIPPED APPLICATORS, CONTINUED

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1805-PF RECT	Large rectangular tip, polypropylene handle	22.6 x 17.5 mm 0.89 x 0.69"	131.4 mm 5.17"	20/50 (1,000/cs), 6 lb
	1805-PFB RECT				4/250 (1,000/cs), 6 lb (bulk)
	1805-PF RND	Large round tip, polypropylene handle	28.6 x 23 mm 1.13 x 0.91"	130.2 mm 5.13"	20/50 (1,000/cs), 6 lb
	1806-PF	Rectangular tip, polypropylene handle	15.9 x 4.8 mm 0.63 x 0.19"	152.4 mm 6"	20/50 (1,000/cs), 2 lb
	1806-PFB				4/250 (1,000/cs), 6 lb (bulk)
	1806-1PFB				1,000/cs (individually wrapped), 4 lb (bulk)
	1806-PFL	Large tip, polypropylene handle	25.4 x 9.5 mm 1 x 0.38"	152.4 mm 6"	20/50 (1,000/cs), 2 lb
	1806-WF	Elongated tip, wood handle	17.5 x 4.8 mm 0.69 x 0.19"	149.2 mm 5.88"	20/50 (1,000/cs), 2 lb
	1806-WFB				4/250 (1,000/cs), 2 lb (bulk)
	1815-PFB	Large round/spatula shaped tip, polypropylene handle	12.7 x 28.6 mm 0.5 x 1.125"	149.2 mm 4"	4/250 (1,000/cs), 3 lb
	1876-PFB	Elongated tip, blue polypropylene handle	17.5 x 4.8 mm 0.69 x 0.19"	149.2 mm 5.88"	20/50 (1,000/cs), 2 lb

Did you know?

Medical-grade foam is much different than foam you might find in furniture.

Medical-grade foam is manufactured to be hypoallergenic and has about 100 PPI (pores per inch), while typical sofa cushion foam is around 30 PPI.

PURSWAB® FOAM OVER COTTON-TIPPED APPLICATORS

These foam over-cotton tips are made from shred-resistant urethane foam over USP pharmaceutical-grade cotton for the best absorption and are great when used with cleaning solvents. Cotton tips are bonded with a special adhesive for durable wear. It's like using 2 swabs in 1!

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1806-PCF	Foam-over-cotton tip, polypropylene handle	23.8 x 9.5 mm 0.94 x 0.38"	155.6 mm 6.13"	20/50 (1,000/cs), 2 lb
	1806-PCFB				4/250 (1,000/cs), 2 lb (bulk)
	1806-PCFL	Large foam-over-cotton tip, polypropylene handle	25.4 x 9.5 mm 1 x 0.38"	155.6 mm 6.13"	20/50 (1,000/cs), 2 lb
	1806-PCFLB				4/250 (1,000/cs), 2 lb (bulk)
	1806-PCSF	Small foam-over-cotton tip, polypropylene handle	20.6 x 6.4 mm 0.81 x 0.25"	154.8 mm 6.09"	20/50 (1,000/cs), 2 lb
	1806-WCF	Standard foam-over-cotton tip, wood handle	23.8 x 9.5 mm 0.94 x 0.38"	154 mm 6.06"	20/50 (1,000/cs), 2 lb
	1806-WCFB				4/250 (1,000/cs), 2 lb (bulk)
	1806-WCFL	Large foam-over-cotton tip, wood handle	25.4 x 9.5 mm 1 x 0.38"	152.9 mm 6.02"	20/50 (1,000/cs), 2 lb
	1806-WCFLB				4/250 (1,000/cs), 3 lb (bulk)
	1806-WCSF	Small foam-over-cotton tip, wood handle	20.6 x 6.4 mm 0.81 x 0.25"	152.4 mm 6"	20/50 (1,000/cs), 2 lb
	1806-WCSFB				4/250 (1,000/cs), 2 lb (bulk)

PURSWAB® ESD APPLICATORS

These electro-static-dissipative applicators are designed for working in and around static-sensitive components and parts. A range of shapes, sizes, and materials lets you find a swab made specifically for your applications.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1273-PF ESD	Paddle anti-static foam tip, static-dissipative polypropylene handle	14.2 x 4 mm 0.56 x 0.16"	68.6 mm 2.7"	20/50 (1,000/cs), 2 lb
	1283-PF ESD	Precision pointed foam tip, static-dissipative polypropylene handle	20 x 3.5 mm 0.79 x 0.14"	69.2 mm 2.73"	20/50 (1,000/cs), 1 lb
	1621-PF ESD	Precision pointed foam tip, static-dissipative polypropylene handle	10.9 x 3.6 mm 0.43 x 0.14"	82.8 mm 3.26"	20/50 (1,000/cs), 2 lb
	1621-PFB ESD				5/500 (2,500/cs), 3 lb (bulk)

PURSWAB® ANTI-STATIC APPLICATORS

When minimizing electrostatic buildup is the goal, choose one of our anti-static tipped applicators. These specialty swabs attract dirt and dust for easy cleaning, while reducing and dissipating static electricity.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1805-PF RECT AS	Large rectangular anti-static foam tip, conductive polypropylene handle	25.4 x 17 mm 1 x 0.69"	130.2 mm 5.13"	20/50 (1,000/cs), 6 lb
	1806-PF AS	Standard anti-static foam tip, conductive polypropylene handle	15.9 x 4 mm 0.63 x 0.16"	150.8 mm 5.94"	20/50 (1,000/cs), 3 lb
	1806-WCF AS	Large anti-static foam-over-cotton tip, wood handle	20.6 x 9.5 mm 0.81 x 0.38"	154 mm 6.06"	20/50 (1,000/cs), 2 lb
	1806-WF AS	Standard anti-static foam tip, wood handle	15.9 x 4 mm 0.63 x 0.16"	149.2 mm 5.88"	20/50 (1,000/cs), 2 lb
	3605 AS	Spatula shaped foam tip, anti-static polypropylene handle	17 x 3.2 mm 0.67 x 0.13"	163 mm 6.42"	10/100 (1,000/cs), 3 lb

PURSWAB® SPECIALTY + CHEMICAL RESISTANT FOAM-TIPPED APPLICATORS

This line of specialty swabs includes super-absorbent and chemical resistant foam-tipped applicators. Chemical-resistant foam is made of a different polymer and will stand up to solvents and cleaners without tearing or breaking down.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	1806-PCF CR	Standard chemical resistant foam-over-cotton tip, polypropylene handle	23.8 x 9.5 mm 0.94 x 0.38"	155.6 mm 6.13"	20/50 (1,000/cs), 2 lb
	1806-WCF CR	Standard chemical resistant foam-over-cotton tip, wood handle	20.6 x 9.5 mm 0.81 x 0.38"	154 mm 6.06"	20/50 (1,000/cs), 2 lb
	1806-WF CR	Standard chemical resistant foam tip, wood handle	17.5 x 4.8 mm 0.69 x 0.19"	149.2 mm 5.88"	20/50 (1,000/cs), 2 lb
	1876-PF CR	Flexible chemical resistant paddle foam tip, polypropylene handle	15.1 x 4.8 mm 0.6 x 0.19"	154 mm 6.06"	20/50 (1,000/cs), 3 lb

PURITAN COTTON-TIPPED APPLICATORS

Ideal for general purposes when you are less concerned about static or particulate release.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	803-PC	Standard tip, polystyrene handle	15.9 x 4.8 mm 0.63 x 0.19"	77 mm 3.03"	10/10/100 (10,000/cs), 9 lb
	803-WC	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	77 mm 3.03"	10/10/100 (10,000/cs), 10 lb
	803-WC HOSPITAL	Hospital® Brand, economy grade, standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	77 mm 3.03"	10/10/100 (10,000/cs), 8 lb
	803-WCL	Large tip, wood handle	17.5 x 5.9 mm 0.69 x 0.23"	77 mm 3.03"	10/5/100 (5,000/cs), 7 lb
	804-PC UNBRK	Standard tip, unbreakable polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	101.6 mm 4"	10/10/100 (10,000/cs), 8 lb
	806-PC	Standard tip, polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/10/100 (10,000/cs), 17 lb
	806-WC	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 16 lb
	806-WC HOSPITAL	Hospital® Brand, economy grade, standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 14 lb
	806-WCL	Large tip, wood handle	17.5 x 5.9 mm 0.69 x 0.23"	150.8 mm 5.94"	10/5/100 (5,000/cs), 10 lb
	806-WCXL	Extra-large tip, wood handle	17.4 x 7.9 mm 0.69 x 0.3"	150.8 mm 5.94"	10/10/50 (5,000/cs), 12 lb
	821-WC	Tapered tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	149.2 mm 5.88"	10/5/100 (5,000/cs), 8 lb
	821-WC DBL	Double-tipped (one standard, one tapered), wood handle	15.9 x 4.8 mm 0.63 x 0.19"	152.4 mm 6"	10/5/100 (5,000/cs), 9 lb
	826-WC	Tapered mini tip, wood handle	12.7 x 3.4 mm 0.5 x 0.14"	149.2 mm 5.88"	10/10/100 (10,000/cs), 12 lb
	833-WCS	Small tip, wood handle, vial pack	15.9 x 4 mm 0.63 x 0.16"	77 mm 3.03"	50/100 (5,000/cs), 8 lb
	838-WCS	Small tip, wood handle	15.9 x 4 mm 0.63 x 0.16"	77 mm 3.03"	10/10/100 (10,000/cs), 8 lb
	850-WC POLY	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 14 lb
	850-WCB POLY				100/100 (10,000/cs) 12 lb
	860-PPC	Small tip, polypropylene handle	17.5 x 5.2 mm 0.69 x 0.2"	150.8 mm 5.94"	10/10/100 (10,000/cs), 15 lb
	860-PPC SOLID HM	Small tip, hot-melt adhesive, polypropylene handle	17.5 x 5.2 mm 0.69 x 0.2"	150.8 mm 5.94"	10/10/100 (10,000/cs), 20 lb
	860-WC	Standard tip, lint-sensitive, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 16 lb

COTTON-TIPPED APPLICATORS, CONTINUED

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	861-WC DBL	Double standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	154 mm 6.06"	10/5/100 (5,000/cs), 10 lb
	86712-WC NO GLUE	Standard tip, no glue/adhesive, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.80mm 5.94"	10/10/100 (10,000/cs), 13 lb
	868-PPCS	Small tip, polypropylene handle	17.45 x 4.37 mm 0.69 x 0.17"	152.4 mm 6"	10/10/100 (10,000/cs), 15 lb
	868-WCS	Small tip, wood handle	11.1 x 3.6 mm 0.44 x 0.14"	149.2 mm 5.88"	10/10/100 (10,000/cs), 12 lb
	869-WCS	Mini tip, wood handle	12.7 x 3.2 mm 0.5 x 0.13"	149.2 mm 5.88"	10/10/100 (10,000/cs), 13 lb
	878-WCS	Small tip, wood handle	11.1 x 3.6 mm 0.44 x 0.14"	149.2 mm 5.88"	10/10/100 (10,000/cs), 12 lb

PURSWAB® LINT-SENSITIVE COTTON-TIPPED APPLICATORS

These are our smoothest cotton-tipped applicators, with low particulates for precision cleaning applications. Always made with our highest grade cotton, the tips are formed to minimize loose fibers while offering absorbency and compatibility with most chemicals.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	870-PC DBL	Double sharp pointed tip, fine paper handle	8 x 2.2 mm 0.32 x 0.087"	76.2 mm 3"	100/25 (2,500/cs), 2 lb
	871-PC DBL	Double pointed tip, fine paper handle	11 x 3 mm 0.43 x 0.12"	79 mm 3.11"	100/25 (2,500/cs), 2 lb
	872-PC DBL	Double cone-shaped tip, fine paper handle	11 x 4.7 mm 0.43 x 0.19"	81 mm 3.19"	50/25 (1,250/cs), 2 lb
	876-WC	Standard tip, lint-sensitive, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 15 lb
	890-PC DBL	Double mini tip, fine paper handle	8 x 2 mm 0.32 x 0.08"	75.5 mm 2.97"	100/25 (2,500/cs), 2 lb
	891-PC DBL	Double small tip, fine paper handle, anti-static packaging	13.5 x 2.6 mm 0.53 x 0.1"	75.5 mm 2.97"	100/25 (2,500/cs), 2 lb
	892-PC DBL	Double barrel-shaped, mini tip	14 x 3.2 mm 0.55 x 0.13"	75.5 mm 2.97"	100/25 (2,500/cs), 2 lb
	893-PC DBL	Double tip, paper handle, anti-static packaging	15 x 4.4 mm 0.59 x 0.17"	77.5 mm 3.05"	2/50/25 (2,500/cs), 4 lb
	896-WC	Standard tip, wood handle	15 x 4.7 mm 0.59 x 0.19"	150 mm 5.91"	10/100 (1,000/cs), 2 lb
	898-PC DBL AD 20/50	Double small tip, lint sensitive, adhesive on pink end, fine paper handle	15 x 4.4 mm 0.59 x 0.17"	77.5 mm 3.05"	10/10/100 (10,000/cs), 12 lb

Did you know?

Only 25% of the wood processed becomes finished goods. That means only the “finest” part of the tree becomes tongue depressors, applicator sticks, and other wood products. The rest becomes environmentally correct fuel for our operation and a marketable by-product that serves other industries as fuel and end users as stove pellets.

INDUSTRIAL WOODENWARE

Industrial woodenware includes precision-crafted wood products used in manufacturing, laboratory, medical, cosmetic, and industrial applications. Common items such as stirrers, applicator sticks, flat sticks, and orange/cuticle sticks are designed for mixing, applying, assembling, and handling materials with reliability and ease.

	Item No.	Product Description	Size length x diameter	Packaging pack (case total), weight
	704 BRIGHTWOOD	Flat blade, economy-grade, Brightwood® brand	152.4 x 1.67 mm 6 x 0.063"	10/500 (5,000/cs), 36 lb
	705 THICK SQ END	Thick flat blade, one end straight cut	139.7 x 2.89 mm 5.5 x 0.114"	2,000 (2,000/cs), 23 lb (bulk)
	2525	Flat stick with routed edges	139.7 x 2.34 mm 5.5 x 0.092"	10/1000 (10,000/cs), 36 lb
	2848	Applicator stick/dowel	203.2 x 3.18 mm 8 x 0.125"	15,000 (15,000/cs), 39 lb (bulk)
	2910	Double-beveled cuticle/orange stick	177.8 x 4 mm 7 x 0.16"	10/1000 (10,000/cs), 36 lb

Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer, serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.

Puritan Medical Products Co.
31 School Street
P.O. Box 149
Guilford, Maine 04443-0149 USA

800.321.2313 (US + Canada)
207.876.3311
puritanmedproducts.com
sales@puritanmedproducts.com